

L Number	Hits	Search Text	DB	Time stamp
1	325644	(channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)	USPAT; IBM_TDB	2004/09/02 17:00
2	72772	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)	USPAT; IBM_TDB	2004/09/02 17:00
3	15	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (spawn\$3 near2 child\$4)	USPAT; IBM_TDB	2004/09/02 16:16
4	12	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (spawn\$3 near2 child\$4)) and (address\$2)	USPAT; IBM_TDB	2004/09/02 17:02
6	12	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (spawn\$3 near2 child\$4)) and (address\$2)) and (id identit\$3 identification\$1 number\$1)	USPAT; IBM_TDB	2004/09/02 17:02
7	0	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (spawn\$3 near2 child\$4)) and (address\$2)) and (id identit\$3 identification\$1 number\$1)) and (username\$1)	USPAT; IBM_TDB	2004/09/02 16:19
8	8	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (spawn\$3 near2 child\$4)) and (address\$2)) and (id identit\$3 identification\$1 number\$1)) and (user\$2 near2 (name\$1 id identit\$3 identification\$1))	USPAT; IBM_TDB	2004/09/02 17:03
9	6	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near4 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (spawn\$3 near2 child\$4)) and (address\$2)) and (id identit\$3 identification\$1 number\$1)) and (user\$2 near2 (name\$1 id identit\$3 identification\$1))) and key\$1	USPAT; IBM_TDB	2004/09/02 17:13
10	196583	(channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)	USPAT; IBM_TDB	2004/09/02 17:00
11	44977	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)	USPAT; IBM_TDB	2004/09/02 17:00
12	18984	((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (address\$2)	USPAT; IBM_TDB	2004/09/02 17:05
13	126822	(node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1)	USPAT; IBM_TDB	2004/09/02 17:03

14	7613	(((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (address\$2)) and ((node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1)))	USPAT; IBM_TDB	2004/09/02 17:03
15	1086	(((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (address\$2)) and ((node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1))) and (user\$2 near2 (name\$1 id identit\$3 identification\$1))	USPAT; IBM_TDB	2004/09/02 17:15
16	66	((((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (address\$2)) and ((node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1))) and (user\$2 near2 (name\$1 id identit\$3 identification\$1)) and (virtual\$2 near address\$2)	USPAT; IBM_TDB	2004/09/02 17:05
17	16	((((((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1)) and (address\$2)) and ((node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1))) and (user\$2 near2 (name\$1 id identit\$3 identification\$1))) and (virtual\$2 near address\$2)) and (spawn\$3 child\$3)	USPAT; IBM_TDB	2004/09/02 17:05
18	8222	((713/151) or (713/152) or (713/153) or (713/154) or (713/200) or (713/201) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.	USPAT; IBM_TDB	2004/09/02 17:14
19	557	((713/151) or (713/152) or (713/153) or (713/154) or (713/200) or (713/201) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.) and (((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1))	USPAT; IBM_TDB	2004/09/02 17:14
20	295	(((713/151) or (713/152) or (713/153) or (713/154) or (713/200) or (713/201) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.) and (((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1))) and key\$1	USPAT; IBM_TDB	2004/09/02 17:14

21	275	(((((713/151) or (713/152) or (713/153) or (713/154) or (713/200) or (713/201) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.) and (((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1))) and key\$1) and address\$2	USPAT; IBM_TDB	2004/09/02 17:15
22	178	(((((713/151) or (713/152) or (713/153) or (713/154) or (713/200) or (713/201) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.) and (((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1))) and key\$1) and address\$2) and ((node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1)))	USPAT; IBM_TDB	2004/09/02 17:15
23	87	(((((713/151) or (713/152) or (713/153) or (713/154) or (713/200) or (713/201) or (709/200) or (709/201) or (709/203) or (709/213) or (709/214) or (709/215) or (711/147) or (711/148) or (711/149) or (380/201) or (380/202) or (380/241) or (380/33)).CCLS.) and (((channel\$1 link\$1 line\$1 cable\$1 path\$1) near2 (determin\$6 decid\$3 decision\$1 chos\$3 choos\$3 resolv\$3 result\$3 choice\$1 regulat\$3 find\$3)) and (socket\$1 port\$1))) and key\$1) and address\$2) and ((node\$2 workstation\$2 computer\$2 server\$2 system\$2 port\$2) near2 (id identit\$3 identification\$1 number\$1))) and (user\$2 near2 (name\$1 id identit\$3 identification\$1)))	USPAT; IBM_TDB	2004/09/02 17:15
-	1007	(many second multiple multiplicity plural\$5 two three four) near2 interfac\$3 near (processor\$1 microprocessor\$1 cpu)	USPAT; IBM_TDB	2004/08/31 14:52
-	9477	((709/100) or (709/200) or (709/201) or (709/203) or (709/213) or (709/250) or (709/253) or (713/192) or (713/200) or (713/201) or (707/10)).CCLS.	USPAT; IBM_TDB	2004/08/31 14:52
-	107142	(multiple pluralit\$3 two second many) near3 (interface\$1 processor\$1)	USPAT; IBM_TDB	2004/08/31 14:52
-	50782	((multiple pluralit\$3 two second many) near3 (interface\$1 processor\$1)) and (card\$1 bus)	USPAT; IBM_TDB	2004/08/31 14:52
-	67	(viral virus\$2) near signature\$1	USPAT; IBM_TDB	2004/08/31 14:52
-	85	(viral virus\$2) near2 signature\$1	USPAT; IBM_TDB	2004/08/31 14:52
-	0	((viral virus\$2) near2 signature\$1) and (server\$1 near farm\$1)	USPAT; IBM_TDB	2004/08/31 14:52
-	0	((multiple pluralit\$3 two second many) near3 (interface\$1 processor\$1)) and (card\$1 bus)) and (server\$1 near farm\$1)) and (virus\$2)	USPAT; IBM_TDB	2004/08/31 14:52
-	2	((many second multiple multiplicity plural\$5 two three four) near2 interfac\$3 near (processor\$1 microprocessor\$1 cpu)) and (server\$1 near farm\$1)	USPAT; IBM_TDB	2004/08/31 14:52

-	63	(((709/100) or (709/200) or (709/201) or (709/203) or (709/213) or (709/250) or (709/253) or (713/192) or (713/200) or (713/201) or (707/10)).CCLS.) and ((many second multiple multiplicity plural\$5 two three four) near2 interfac\$3 near (processor\$1 microprocessor\$1 cpu))	USPAT; IBM_TDB	2004/08/31 14:52
-	67	(((multiple pluralit\$3 two second many) near3 (interface\$1 processor\$1)) and (card\$1 bus)) and (server\$1 near farm\$1)	USPAT; IBM_TDB	2004/08/31 14:52
-	7	(((multiple pluralit\$3 two second many) near3 (interface\$1 processor\$1)) and (card\$1 bus)) and (server\$1 near farm\$1)) and (virus\$2 signature\$1)	USPAT; IBM_TDB	2004/08/31 14:52